





EMERAKI

RING SIZE GUIDE



















How to measure an existing ring:

1. Be sure that the printer is set to 100% scale.
 2. Print out the PDF guide.
 3. Check the scale with a ruler from the inch/cm scale at the top of the page.
 4. Place your ring on the circles below to find the circle that will match your ring's inner circle so that the black outline would be visible.
- The number on the circle is your ring size.



— Your ring




Circumference mm	Diameter mm	Circumference inches	Diameter inches	US Ring Size	UK Ring Size
37.8	12.0	1.488	0.474	1/2	A
38.4	12.2	1.513	0.482	3/4	A 1/2
39.1	12.4	1.539	0.490	1	B
39.7	12.6	1.564	0.498	1 1/4	B 1/2
40.4	12.9	1.589	0.506	1 1/2	C
41.0	13.1	1.614	0.514	1 3/4	C 1/2
41.6	13.3	1.639	0.522	2	D
42.3	13.5	1.664	0.530	2 1/4	D 1/2
42.9	13.7	1.669	0.538	2 1/2	E
43.0	13.9	1.714	0.546	2 3/4	E 1/2
44.2	14.1	1.740	0.554	3	F
44.8	14.3	1.765	0.562	3 1/4	F 1/2
45.5	14.5	1.790	0.570	3 1/2	G
46.1	14.7	1.815	0.578	3 3/4	G 1/2
46.7	14.9	1.840	0.586	4	H
47.4	15.1	1.865	0.594	4 1/4	H 1/2
48.0	15.3	1.890	0.602	4 1/2	I
48.7	15.5	1.915	0.610	4 3/4	J
49.3	15.7	1.941	0.618	5	J 1/2
49.9	15.9	1.966	0.626	5 1/4	K
50.6	16.1	1.991	0.634	5 1/2	K 1/2
51.2	16.3	2.016	0.642	5 3/4	L
51.8	16.5	2.041	0.650	6	L 1/2
52.5	16.7	2.066	0.658	6 1/4	M
53.1	16.9	2.091	0.666	6 1/2	M 1/2
53.8	17.1	2.116	0.674	6 3/4	N
54.4	17.3	2.141	0.682	7	N 1/2
55.0	17.5	2.167	0.690	7 1/4	O
55.7	17.7	2.192	0.698	7 1/2	O 1/2
56.3	17.9	2.217	0.706	7 3/4	P
56.9	18.1	2.242	0.714	8	P 1/2
57.6	18.3	2.267	0.722	8 1/4	Q
58.2	18.5	2.292	0.730	8 1/2	Q 1/2
58.9	18.7	2.317	0.738	8 3/4	R
59.5	18.9	2.342	0.746	9	R 1/2
60.1	19.2	2.368	0.754	9 1/4	S
60.8	19.4	2.393	0.762	9 1/2	S 1/2
61.4	19.6	2.418	0.770	9 3/4	T
62.1	19.8	2.443	0.778	10	T 1/2
62.7	20.0	2.468	0.786	10 1/4	U
63.3	20.2	2.493	0.794	10 1/2	U 1/2
64.0	20.4	2.518	0.802	10 3/4	V
64.6	20.6	2.543	0.810	11	V 1/2
65.2	20.8	2.569	0.818	11 1/4	W
65.9	21.0	2.594	0.826	11 1/2	W 1/2
66.5	21.2	2.619	0.834	11 3/4	X
67.2	21.4	2.644	0.842	12	X 1/2
67.8	21.6	2.669	0.850	12 1/4	Y
68.4	21.8	2.694	0.858	12 1/2	Z
69.1	22.0	2.719	0.866	12 3/4	Z 1/2
69.7	22.2	2.744	0.874	13	
70.3	22.4	2.769	0.882	13 1/4	Z1
71.0	22.6	2.795	0.890	13 1/2	
71.6	22.8	2.820	0.898	13 3/4	Z2
72.3	23.0	2.845	0.906	14	Z3
72.9	23.2	2.870	0.914	14 1/4	
73.5	23.4	2.895	0.922	14 1/2	Z4
74.2	23.6	2.920	0.930	14 3/4	
74.8	23.8	2.945	0.938	15	



EMERAKI

RING SIZE GUIDE



How to measure your finger:

1. Be sure that the printer is set to 100% scale.
2. Print out the PDF guide.
3. Check the scale with a ruler from the inch/cm scale at the top of the page.
4. Carefully cut out the ringsizer and cut a slit on the dashed line (on the sizer).
5. Insert the end of the sizer through the slit.
6. Put the sizer around the finger. Pull it as tight as you would like your ring to be. Your size will be the number closest to the arrow.

